

THE EXPERT IN WATER PURIFICATION ENSURE YOUR HEALTHY LIFE

ERM





H,

OH

•

CONTENT PRODUCTS CATALOG 2025

	CONTENT	02
	ABOUT US	03
	KAROFI FACTORY	04
C	BREAKTHROUGH TECHNOLOGY	05
C	UNDERSINK RO PURIFIERS	06
C	COVERED UNDERSINK RO PURIFIERS	07
C	HYDROGEN ALKALINE WATER PURIFIER	08
C	HOT & COLD RO WATER PURIFIER	09
C	HOT & COLD RO WATER DISPENSER	12
C	FILTERS AND SPARE PARTS	13

02

KAROFI THE EXPERT IN WATER PURIFICATION ENSURE YOUR HEALTHY LIFE



Karofi, a leading Vietnamese water purifier manufacturer since 2006, manages the entire value chain, from R&D and production to marketing, distribution, and customer service. Our key products include water purifiers, dispensers, and spare parts, delivering high-quality solutions for healthier living.

With nearly 20 years of development, Karofi remains the market leader in household water purifiers, continuously innovating in smart technology, features, and design. We are committed to integrating cutting-edge avancements into water and air purifiers, making them more modern, convenient, and user-friendly.



KAROFI FACTORY

Backed by Global Investors Supported by Mitsubishi Corporation (Japan) The largest in Southeast Asia with 36,000 Sqm

KAROFI

⁰ Philippines

istralia

Thailand

Sri Lanka Maldives

2 Modern Factories Northern & Southern Vietnam 2 Million Water purifiers/ year

KAROFI FACTORY

Morroco

Brazil

Iraq Kuwait

Mauritius

uth Africa

40 PLASTIC INJECTION MACHINES 150 TONS - 650 TONS CAPACITY

SAFETY + FIRST







KAROFI THE EXPERT IN WATER PURIFICATION ENSURE YOUR HEALTHY LIFE



HIGH-PERFORMANCE PRE-FILTER SMAX PRO V 1,2,3

SAVE UP TO 50% FILTER REPLACEMENT COST

INCREASES SURFACE CONTACT AREA BY 3 TIMES INCREASES FILTRATION EFFICIENCY BY 2 TIMES DOUBLE LIFETIME



KAROFI THE EXPERT IN WATER PURIFICATION ENSURE YOUR HEALTHY LIFE

FEATURE PRODUCTS UNDERSINK RO PURIFIERS

INNOVATIVE UNDERSINK WATER PURIFIER



SPECIFICATION



MODEL NUMBER	KAQ-U05 PRO		
Filtration Stages	10		
Pre-filter	Smax Pro V		
RO membrane	100 GPD Korean membrane		
Functional filter	HP set (Mineral, T33, ORP Alkaline, Tourmaline, Hydrogen, Nano silver Filter)		
Pump	24V, 125psi		
Tank	Plastic Tank 4G		



FEATURE PRODUCTS UNDERSINK RO PURIFIERS

TRADITIONAL UNDERSINK WATER PURIFIER



MODEL NUMBER	7-STAGE	
Filtration Stages	10	
Pre-filter	P-GAC-CTO. RO	
RO membrane	75 GPD Vietnam/Korea	
Functional filter	T33 - Mineral- Alkaline (or optional)	
Housing	Standard, clear-white-white	
Pump	24V, 125 Psi	
Tank	Tanklife hybrid TL-19P	
Faucet	Standard K54	
Shutoff	Solenoid valve	



FEATURE PRODUCTS COVERED UNDERSINK RO PURIFIERS

INNOVATIVE UNDERSINK COVERED RO WATER PURIFIER



SPECIFICATION

More info

SPECIFICATION



MODEL NUMBER	KAQ-U99	
Filtration Stage	10	
Pre-filter	Smax Pro V, 2 Pre-Filters	
RO membrane	500 GPD membrane made in USA	
Functional Filter	HP set (Mineral, T33, ORP Alkaline, Tourmaline, Hydrogen, Nano silver Filter)	
Pump	24V, 125psi	
Faucet	Smart LED faucet	
	TRADITIONAL COVERED RO WATER PURIFIER	




FEATURE PRODUCTS UNDERSINK RO PURIFIERS

INNOVATIVE UNDERSINK WATER PURIFIER



MODEL NUMBER	KAQ-U98	
Filtration Stage	10	
Pre-Filter	Smax Pro V	
RO Membrane	50GPD Purifim	
Functional Filter	Mineral, ORP, Hi drogen, Tourmaline Post Carbon, Nano Silver Plus	
Power Supply	110 - 240VAC/ 50 - 60Hz	
Power For RO	25W	
Controller	AioTec	
Smart Faucet	LED faucet	
Weight	9.0kg	





FEATURE PRODUCTS

HYDROGEN ALKALINE WATER PURIFIER

Transforming Homes, Defining Lifestyles with Hydrogen alkaline KAE-S88 PROMAX



	Water modes Hot Ambient Cold		
	Temperature 45,75,99°C 25°C 6-10°C		
	Capacity Unlimited 5 liters 2 liters		
MODEL NUMBER	KAE-S88 PROMAX		
Filtration Stage	12+1		
Pre-Filter	Smax Pro V		
RO Membrane	100GPD Purifim		
Functional Filter	Mineral, Double Hydrogen, Tourmaline, Post Carbon, ORP, Nano Silver Plus		
Power Supply	220 - 240VAC/ 50 - 60Hz 25W 140W		
Power For RO			
Power For Lonizer			
Heating Power	2100W		
Cooling Power	90W		
Controller	AioTec		
Touch Screen	Display TDS, filter life time, LED screen		
Weight	35kg		
Height of Faucet	270mm		

FEATURE PRODUCTS **HYDROGEN ALKALINE** WATER PURIFIER



N	lore	info	1.1

SPECIFICATION

	-	Water modes Hot Ambient Cold
- <u> </u>	2	Temperature 85-95°C 25-30°C 6-10°C
FILT		Capacity 2 liters 5 liters 2 liters
	MODEL NUMBER	KAE-S86 PRO
	🗱 Filtration Stage	12
	Pre-Filter	Smax Pro V
	RO Membrane	100GPD Purifim
		Mineral, Double Hydrogen, Tourmaline, Post Carbon, ORP, Nano Silver Plus
		220 - 240VAC/ 50 - 60Hz
990mm	Power For RO	25W
State Stat	Power For Lonizer	105W
	Heating Power	430W
	Cooling Power	900W
		AioTec
	Touch Screen	Display TDS, filter life time
415mm	Weight	31kg
2 320mm	Height of Faucet	270mm







More info

SPECIFICATION

SPECIFICATION

FEATURE PRODUCTS HYDROGEN WATER PURIFIER





		Water modes Hot Ambient Cold		
12 Smax		Temperature - 25-30°C -		
SMAX FILTERS		Capacity - 5 liters -		
****	MODEL NUMBER	KAE-S68		
2 2 MODE AIR	Filtration Stage	12		
	Pre-Filter	Smax Pro V		
iôTec	RO Membrane	100GPD Purifim		
CHNOLOGY	Functianonal Filter	Mineral, Double Hydrogen, Tourmaline, Post Carbon, ORP, Nano Silver Plus		
USA:	Power Supply	220 - 240VAC/ 50 - 60Hz		
9	Power For RO	25W		
***	Power For Lonizer	140W		
MORE Controller AioTed		AioTec		
	Touch Screen	Display TDS, filter lifetime, LED screen		
Low	Weight	26kg		

FEATURE PRODUCTS HOT & COLD RO WATER PURIFIER

•			Water modes Hot Ambient Cold
0 0	11		Temperature 85-95°C 25-30°C 6-10°C
	FILTERS		Capacity 1 liters 5 liters 2 liters
		MODEL NUMBER	KAD-X68
11 Servers	LOW WATT	Filtration Stages	11
		Pre-Filter	Smax Pro V
C KAROFI	AiôTec	RO Membrane	100GPD Purifilm
	TECHNOLOGY	Functional Filter	Double Mineral, ORP, Hydrogen, Tourmaline, T33, Nano Silver Plus
	S HADE W.	Power Supply	220 - 240VAC/ 50 - 60Hz
990m	m 💓	Power For RO	25W
		Heating Power	430W
		Cooling Power	90W
		Controller	AioTec
	X2	Weight	29kg
	HYDROGEN		
400mm	1		

_____ 320mm __



More info

SPECIFICATION

SPECIFICATION

FEATURE PRODUCTS HOT & COLD RO WATER PURIFIER



11 9/1/2

LOW WATT

MORE

	Water modes Hot Ambient Cold
	Temperature 85-95°C 25-30°C 6-10°C
	Capacity 1 liters 5 liters 1 liters
MODEL NUMBER	KAD-X58
Filtration Stages	11
Pre-Filter	Smax Pro V
RO Membrane	50GPD Purifilm
Functional Filter	Double Mineral, ORP, Hydrogen, Tourmaline, T33, Nano Silver Plus
Power Supply	220 - 240VAC/ 50 - 60Hz
Power For RO	25W
Heating Power	430W
Cooling Power	90W
Controller	AioTec
Weight	32.5 kg

FEATURE PRODUCTS FLOOR STANDING RO WATER PURIFIER

		Water modes Ambient
3	11	Temperature 25-30°C
	SMAX FLITERS	Capacity 5 liters
	MODEL NUMBER	KAQ-X18
	Filtration Stages	11
(KARĞFI	Pre-Filter	Smax Pro V
	RO Membrane	100GPD Purifilm
	Functional Filter	Double Mineral, ORP, Hydrogen, Tourmaline, T33, Nano Silver Plus
990mm	MORE Power Supply	220 - 240VAC/ 50 - 60Hz
99000	Power For RO	25W
	Weight	32kg
320mm	ALKALINE HYDROGEN	

FEATURE PRODUCTS FLOOR STANDING RO WATER PURIFIER



SPECIFICATION



TECHNOLOGY
LOW
USA:
MORE
ALKALINE

MODEL NUMBER	KAQ-XIO
Stage	10 Stages
Pre-Filter	Smax Pro V
Functional Filter	Mineral, T33-GAC, Bioceramic, Tourmaline, Far infrared, Nano silver plus
RO membrane	100 GPD Purifilm USA
Pump	24V, 125 Psi
Pressure Tank	3.2G
Voltage	220- 240VAC/ 50 - 60Hz
Weight	23Kg

FEATURE PRODUCTS FLOOR STANDING RO WATER PURIFIER





MODEL NUMBER	KAQ-D36
Stage	10 Stages
Pre-Filter	Smax Pro V
Functional Filter	Mineral, T33-GAC, Bioceramic, Tourmaline, Far infrared, Nano silver plus
RO membrane	100 GPD Purifilm USA
Pump	24V, 125 Psi
Pressure Tank	3.2G
Voltage	220- 240VAC/ 50 - 60Hz

FEATURE PRODUCTS HOT COLD RO WATER DISPENSER



SPECIFICATION



MODEL NUMBER	HCV208RO
Number of filtration stages	6 stages
Filter system	3 pre-filters; Korean 100 GPD RO membrane; T33-GAC filter; Nano silver filter
Heating power	430 W
Cooling power	90 W
Hot /Cold tank capacity	1L/5L
Hot water temperature	85-95 degree Celsius
Cold water temperature	5-10 degree Celsius

Hot-Cold-RO Water



FEATURE PRODUCTS BOTTOM WATER DISPENSER





MODEL NUMBER	HCV208
Number of filtration stages	6 stages
Filter system	3 pre-filters; Korean 100 GPD RO membrane; T33-GAC filter; Nano silver filter
Heating power	430 W
Cooling power	90 W
Hot /Cold tank capacity	1 L / 5L
Hot water temperature	85-95 degree Celsius
Cold water temperature	5-10 degree Celsius







FEATURE PRODUCTS TRADITIONAL FILTERS AND SPARE PARTS



KAROFI THE EXPERT IN WATER PURIFICATION ENSURE YOUR HEALTHY LIFE

KAROFIC BERT IN WATER PURIFICATION ENSURE YOUR HEALTHY LIFE



KAROFI GROUP JOINT STOCK COMPANY

📀 Head Office: 6th & 7th Floor, Hudland Tower, No. 6 Nguyen Huu Tho Str., Hoang Mai Dist., Hanoi, Vietnam

📀 Factory address: Tu Ho Hamlet, Yen Phu Commune,Yen My District, Hung Yen Province,Vietnam

S Phone: +84 837748966

🜐 Website: www.karofiglobal.com

📧 Email: sales@karofiglobal.com

